Material Safety Data Sheet O2 – POWER

DYNACCO INC.

P.O. BOX 27 MONROE, WA 98272 (360) 794-8974 DATE PREPARED: MAR 1, 2002

REVISED DATE: MAR 1, 2012

24 HOUR EMERGENCY PHONE NUMBER: CHEMTREC: 800-424-9300

SECTION I - IDENTIFICATION

PRODUCT NAME: O2 – POWER

CHEMICAL FAMILY: OXIDIZING MATERIAL

FORMULA: N/A **CAS NUMBER:** N/A

SECTION II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENTPERCENTCAS NUMBERACGIH/TLVSTEL/PELSodium percarbonate60 - 8015630-89-4NOT EST.NOT EST.Sodium carbonate20 - 30497-19-8NOT EST.NOT EST.

SECTION III - PHYSICAL DATA

BOILING POINT:..... 212° F. **VAPOR PRESSURE:.....** NOT EST. **VAPOR DENSITY (AIR=1):.....** NOT EST. **SPECIFIC GRAVITY:.....** > 1.0

pH: 11.3 – 11.9 (1% solution)

SOLUBILITY IN WATER:..... Soluble in water.

SECTION IV - FIRE AND EXPLOSION DATA

FLASHPOINT:......N/D LOWER EXPLOSIVE LIMIT:...N/A UPPER EXPLOSIVE LIMIT:....N/A

EXTINGUISHING MEDIA: Use extinguishing media appropriate to primary cause of fire.

SPECIAL FIRE FIGHTING

skin. When fighting a fire near or involving this product, wear a self-contained

breathing apparatus (SCBA).

UNUSUAL FIRE AND

EXPLOSION HAZARDS: WEAK OXIDANT: May generate oxygen which can enhance an existing fire.

SECTION V - REACTIVITY DATA

STABILITY: Stable

HAZARDOUS POLYMERIZATION: Will not occur.

Material Safety Data Sheet O2 – POWER

| | U2 – PUWER |
|----------------------|---|
| INCOMPATIBILITY: | Avoid excessive heat, acids, bases, heavy metal salts, reducing agents, organic |
| | materials and flammable substances. |
| HAZARDOUS | |
| DECOMPOSITION: | Carbon monoxide and carbon dioxide upon thermal decomposition and oxygen. |
| HAZARDOUS | |
| POLYMERIZATION: | Will not occur. |
| | |
| | SECTION VI - HEALTH DATA |
| THRESHOLD LIMIT VALU | JE: The TLV in section II is the ACGIH/TLV-TWA and OSHA/PEL, (the time |
| | weighted average concentration for an eight hour work day.) The STEL is the |
| | (short term exposure limit.) (Ceil) is the ceiling limit. |
| OSHA PEL: | Since this product is a mixture, there is no defined PEL(s) established by OSHA. |
| | Hazardous components are listed in the Hazardous Ingredients Section of this |
| | data sheet. |
| LISTED CARCINOGEN: | This product does not contain any components listed by NTP, IARC, or OSHA |
| | as carcinogens at the OSHA reportable levels. |
| MEDICAL CONDITIONS A | GGRAVATED |
| BY EXPOSURE: | Existing skin and/or respiratory disorders may be aggravated by exposure. |
| EYES: | May cause severe eye irritation with possible permanent eye damage and |
| | impairment of vision. |
| SKIN (DERMAL): | Skin contact may cause irritation while prolonged exposure may cause chemical |
| | burns. |
| INGESTION: | May cause severe gastrointestinal irritation and/or ulceration of the mouth and |
| | throat. Single dose oral LD50 has not been determined. |
| INHALATION: | Vapors and mist may cause respiratory tract irritation. |
| CHRONIC OVEREXPOSUR | |
| | |
| | SECTION VII FIRST AID |
| EYES: | In case of contact, immediately flush eyes with lots of running water for at least |
| | 15 minutes. Call for medical assistance. |
| SKIN (DERMAL): | Immediately flush skin with plenty of water until no product residue remains. |
| | Wash contaminated clothing before reuse. |
| INGESTION: | NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. |
| | If swallowed, DO NOT INDUCE VOMITING. Give large quantities of water. |
| | (If available, give several glasses of milk.) If vomiting occurs spontaneously, |
| | keep airway clear and give more water. GET MEDICAL ATTENTION |
| | IMMEDIATELY. |
| INHALATION: | Remove to fresh air. If not breathing, give artificial respiration. If breathing is |
| | difficult, give oxygen as directed by medical personnel. |
| | SECTION VIII EMPLOYEE PROTECTION |
| | |
| EYE PROTECTION: | Chemical safety splash goggles and full face shield (8" min.) to protect against |
| | splashing in compliance with OSHA regulations are advised. OSHA regulations |
| | also parmit other type sefety glasses (Consult your industrial hygienist) Contact |

also permit other type safety glasses. (Consult your industrial hygienist) Contact

lenses should not be worn when working with any chemicals.

Material Safety Data Sheet O2 – POWER

RESPIRATORY PROTECTION: Respiratory protection should be worn if levels exceed defined PEL(s) for this product or any hazardous component listed in the Hazardous Ingredient Section of this DATA SHEET.

PROTECTIVE CLOTHING:..... Impervious protective clothing and chemical resistant safety shoes should be worn to minimize contact. Emergency shower and eyewash facility should be in

close proximity. (ANSI Z358.1)

VENTILATION:Local exhaust sufficient to maintain TLV below permissible exposure limits.

SECTION IX - SPILL AND DISPOSAL DATA

authorities first.

WASTE DISPOSAL:..... Consult all LOCAL, STATE, and FEDERAL regulations with regard to proper and suitable disposal methods.

SECTION X - TRANSPORTATION DATA

HAZARD CLASS AND LABEL: 5.1 (OXIDIZER)

PROPER SHIPPING NAME: OXIDIZING SOLID, N.O.S. (SODIUM CARBONATE PEROXYHYDRATE)

5.1 UN-1479 PG – III

UN NUMBER: UN-1479 PACKAGING GROUP: PG – III

REPORTABLE QUANTITY: 100 lbs. as Sodium carbonate peroxyhydrate

SECTION XI - OTHER REGULATORY INFORMATION

SARA SECTION 313: This product does not contain any EPCRA section 313 chemicals subject to the

reporting requirements of section 313 of the Emergency Planning and

Community Right-To-Know Act of 1986 (40CFR 372).

| C A S # | CHEMICAL NAME | PERCENT BY WEIGHT |
|---------|---------------|-------------------|
| | | |
| | | |

SECTION XII - PRECAUTIONARY LABEL STATEMENTS

Material Safety Data Sheet O2 – POWER

chemicals may produce hazardous gases or violent reactions! Consult MSDS for additional information before using this product.

SECTION XIII - ADDITIONAL INFORMATION

FOOTNOTES: NOT EST. = Not established, N/A = Not applicable

recommendations in the specific context of their intended use.