

Date SDS Printed & Reviewed: 12/11/15 Last Formula Revision Date: 12/04/15 (APF)

SECTION 1: IDENTIFICATION

DYNA-BUSTER PENETRATING LUBE AND RELEASE AGENT

OTHER MEANS OF IDENTIFICATION: Part Number 122

RECOMMENDED USE OF THE CHEMICAL: AEROSOL SPRAY

MANUFACTURED FOR: DYNACCO, INC. 17461 147TH STREET SE #6 **MONROE, WA 98272**

INFO: 360-794-8974

EMERGENCY 24-HOUR TELEPHONE NUMBERS:

CALL CHEMTEL: 1-800-255-3924

SECTION 2: HAZARDS IDENTIFICATION

HAZARD PICTOGRAMS:



GHS02 Flame, GHS04 Gas Cylinder, GHS07 Exclamation Mark, GHS08 Health Hazard

CLASSIFICATION OF THE SUBSTANCE OF MIXTURE:

Flammable Aerosols, Category 1 Flammable Liquids, Category 4 Gasses Under Pressure, Category Compressed Liquid Acute Toxicity - Oral, Category 4 Aspiration Hazard, Category 1 Serious Eye Damage/Eye Irritation, Category 2A Germ Cell Mutagenicity, Category 1A,1B Specific Target Organ Toxicity - Single Exposure, Category 1 Specific Target Organ Toxicity - Repeated Exposure, Category 1 Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 0.3%

SIGNAL WORD: DANGER

HAZARD STATEMENTS:

- H222 Extremely flammable aerosol. H227 Combustible liquid.
- H280 Contains gas under pressure; may explode if heated. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways.

- H319 Causes serious eye irritation. H340 May cause genetic defects.
- Causes damage to organs. H370
- H372 Causes damage to organs through prolonged or repeated exposure.

PRECAUTIONARY STATEMENTS:

GENERAL & PREVENTION:

- P102 Keep out of reach of children.
- P201
- Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/other ignition sources. No smoking. P202 P210
- P211
- Do not spray on an open flame or other ignition source. Pressurized container: Do not pierce or burn, even after use. P251
- Do not breathe dust/fume/gas/mist/vapors/spray. P260
- P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P280 Wear eye protection. **RESPONSE:**

- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.
- P305+P351+P310 IF SWALDOWED. Immediately carl a P0150M CENTER/doctor. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do P314 Get medical advice/attention if you feel unwell.
- P321 Specific treatment (see...on this label).

- P331 Do NOT induce vomiting.
 P337+P313 If eye irritation persists: Get medical advice/attention.
 P370+P378 In case of fire: Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing agent

SAFETY DATA SHEET Per OSHA HCS

PRODUCT IDENTIFIER:

DYNA BUSTER PENETRATING LUBE AND RELEASE AGENT _____

STORAGE:

P403+P235 Store in a well-ventilated place. Keep cool. P405 Store locked up or in secure area. P410+P403 Protect from sunlight. Store in a well-ventilated place. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 degrees C/122 degrees F. DISPOSAL:

P501 Dispose of contents/container in accordance with local/regional/national regulations.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#	COMPONENT	CAS#	≵ by WT.
1	ALIPHATIC HYDROCARBON	64742-88-7	25-31
2	ODORLESS MINERAL SPIRITS	64741-65-7	20-26
3	1-METHOXY-2-PROPANOL	107-98-2	15-21
4	PROPANE	74-98-6	10-16
5	HYDROTREATED NAPHTHA OIL - 1	64742-52-5	8-10
б	N-BUTANE	106-97-8	5-8
7	(BIN 14) ALIPHATIC HYDROCARBON	8052-41-3	3-5
8	PARAFFINIC DISTILLATE	64742-54-7	1-3

SECTION 4 - FIRST AID MEASURES

Inhalation: If inhaled: Move person to fresh air and keep in comfortable position for breathing.

If Indirated. Move person to fresh all and keep in comfortable postform for breathing.
If breathing difficulty persists: Get medical advice/attention.
Skin Contact: If on skin: Wash with plenty of soap and water. Remove contaminated clothing and wash before
reuse. If skin irritation persists: Get medical advice/attention.
Eye Contact: If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present
and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion: If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting unless directed to

ion: If swallowed: Immediately call a poison center/doctor. Do NOT induce vomiting unless directed to so by medical personnel. do so by medical personnel. MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

See Section 11: Toxicological Information and effects INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT REQUIRED: Treat symptomatically.

SECTION 5 - FIRE-FIGHTING MEASURES

Suitable Extinguishing Media: CO2 (Carbon Dioxide), dry chemical, or water fog. Unsuitable Extinguishing Media: Water spray may be unsuitable. However if water is used fog nozzles are preferable. Water may be used to cool closed containers to prevent pressure build-up and explosion when exposed to extreme heat.

Water may be used to cool closed containers to prevent pressure build-up and explosion when exposed to extreme heat.
Specific Hazards Arising From the Chemical: Closed containers exposed to heat from fire may build pressure and explode. Products of combustion may include but are not limited to: oxides of carbon.
Special Protective Equipment and Precautions for Fire-Fighters: Full protective equipment including self-contained breathing apparatus should be used.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use personal protection recommended in Section 8. Environmental Precautions: Prevent contamination of soil/ground, waterways, drains, and sewers. Methods of Containment: Absorb spilled liquid in suitable material. Methods for Clean-Up: Use spark-proof tools to sweep or scrape up, containerize, and dispose of properly. Other Information: Ensure adequate ventilation.

SECTION 7 - HANDLING AND STORAGE

Precautions for Safe Handling:

Vapors may ignite explosively. Prevent buildup of vapors. Keep from sparks, heat, flame or other heat sources. Do not smoke. Turn off pilot lights, heaters, electric motors and other sources of ignition during use and until all vapors are gone. Do not puncture or incinerate/burn container. Keep container tightly closed while not in use. Conditions for Safe Storage, Including Any Incompatibilities:

Store in dry, well-ventilated area and in accordance with federal, state, and local regulations. Do not expose to heat or store at temperatures above 50 degrees C / 122 degrees F. If storing in cold temperatures, allow product to warm to room temperature before use. Keep container tightly closed and away from heat and sunlight when not in use.

SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

CONTROL PARAMETERS

#	COMPONENT	ACGIH TLV-STEL	ACGIH TLV-TWA	OSHA PEL-TWA
1	ALIPHATIC HYDROCARBON	N/E	100 ppm	500 ppm
2	ODORLESS MINERAL SPIRITS	N/E	N/E	N/E
3	1-METHOXY-2-PROPANOL	N/E	100 ppm	N/E
4	PROPANE	1800 ppm	2500 ppm	1000 ppm
5	HYDROTREATED NAPHTHA OIL - 1	N/E	N/E	N/E
6	N-BUTANE	N/E	800 ppm	800 ppm

SAFETY DATA SHEET Per OSHA HCS

PRODUCT IDENTIFIER:

DYNA BUSTER PENETRATING LUBE AND RELEASE AGENT

7 (BIN 14) ALIPHATIC HYDROCARBON	N/E	N/E	N/E	
8 PARAFFINIC DISTILLATE	N/E	N/E	N/E	

APPROPRIATE ENGINEERING CONTROLS: Provide adequate ventilation to keep air contamination below OSHA permissible exposure limits and ACGIH TLV exposure levels. EYE/FACE PROTECTION: Wear safety glasses with side shields. Have eye wash facilities immediately available. SKIN PROTECTION: Wear chemical resistant gloves if contact is likely. RESPIRATORY PROTECTION: Use NIOSH-approved air-purifying respirator with organic cartridge or canister if exposure cannot be controlled within applicable limits with ventilation.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE:	Aerosol - Pressurized Liquid
COLOR:	See product identification
ODOR:	Solvent Odor
ODOR THRESHOLD:	No data available
pH:	No data available
FREEZING POINT:	Not Established (mixture)
BOILING POINT:	Not Applicable (pressurized mixture)
FLASH POINT:	less than -18 degrees C (less than -0.4 degrees F), c.c.
EVAPORATION RATE:	Faster than ether
UPPER FLAMMABILITY LIMIT:	Not Established (mixture)
LOWER FLAMMABILITY LIMIT:	Not Established (mixture)
VAPOR PRESSURE:	Not Established (pressurized mixture)
SPECIFIC GRAVITY:	0.720
SOLUBILITY (WATER):	5 5
VOC PERCENT BY WEIGHT:	99.72
HAPS PERCENT BY WEIGHT:	0
MIR NUMBER (EPA AND CA):	0.882

SECTION 10: STABILITY AND REACTIVITY

CHEMICAL STABILITY: Stable under normal conditions. POSSIBILITY OF HAZARDOUS REACTIONS: Will not occur. CONDITIONS TO AVOID: Keep away from heat, sparks, and flames. INCOMPATIBLE MATERIALS: Strong oxidizing agents. HAZARDOUS DECOMPOSITION PRODUCTS: by fire - Carbon Dioxide and Carbon Monoxide

SECTION 11: TOXICOLOGICAL INFORMATION

LIKELY ROUTES OF ENTRY: Skin cont SIGNS AND SYMPTOMS OF EXPOSURE: contact, Inhalation, Eye contact, Ingestion

Skin Contact: Signs/symptoms may include localized redness, itching, drying and cracking of skin. Intentional concentration and inhalation may be harmful or fatal. Inhalation: Eye Contact: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision. Ingestion: Signs/symptone

Ingestion: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. **TARGET ORGANS POTENTIALLY AFFECTED BY EXPOSURE:**

Central nervous system, kidneys, lungs, liver, eyes, skin, brain, respiratory tract, urinary tract, reproductive system, cardiovascular system

TOXICOLOGICAL DATA:

#	COMPONENT	LD50 ORAL	LD50 DERMAL	LC50 INHALATION
1.	ALIPHATIC HYDROCARBON	N/E	N/E	N/E
2.	ODORLESS MINERAL SPIRITS	>2000 mg/kg (rat)	>2000 mg/kg (rat)	N/E
3.	1-METHOXY-2-PROPANOL	N/E	N/E	N/E
4.	PROPANE	1000	1800	N/E
5.	HYDROTREATED NAPHTHA OIL - 1	N/E	N/E	N/E
6.	N-BUTANE	N/E	N/E	N/E
7.	(BIN 14) ALIPHATIC HYDROCARBON	N/E	N/E	N/E
8.	PARAFFINIC DISTILLATE	N/E	N/E	N/E

SECTION 12: ECOLOGICAL INFORMATION

No data available.

SECTION 13: DISPOSAL CONSIDERATIONS

Dispose of container and its contents in accordance with federal, state, and local regulations. Do not puncture, incinerate, or place container in trash compactor.

SECTION 14: TRANSPORTATION INFORMATION

GROUND (D.O.T./49 CFR): UN I.D. Number: UN1950 Transport Hazard Class: 2.1 Packing Group: - (not applicable) Proper Shipping Name: AEROSOLS (",FLAMMABLE" is optional to add after AEROSOLS)

CONTINUED -->

SAFETY DATA SHEET Per OSHA HCS

PRODUCT IDENTIFIER:

DYNA BUSTER PENETRATING LUBE AND RELEASE AGENT

Hazard label: Shipping papers format:	Limited Quantity (LTD QTY) label see 49 CFR 172.315 UN1950, AEROSOLS, 2.1, LTD QTY (can add ",FLAMMABLE" after AEROSOLS)
AIR (IATA): UN I.D. Number: UN1950 Proper Shipping Name: Hazard labels: Shipping papers format:	Transport Hazard Class: 2.1 Packing Group: - (not applicable) AEROSOLS, FLAMMABLE Packing Instruction: Y203 LTD QTY label with "Y" in it, and Flammable Gas label UN1950, AEROSOLS, FLAMMABLE, 2.1 (Note LTD QTY not needed on papers)
WATER (IMDG): UN I.D. Number: UN1950 Proper Shipping Name: AEROSOLS Packing Instruction: P003,LP02 Shipping papers format:	Transport Hazard Class: 2.1 Packing Group: - (not applicable) Hazard label: LTD QTY label (see IMDG 3.4.5.1) EmS: F-D,S-U Stowage and Segregation: Category A UN1950, AEROSOLS, 2.1, (-18 C c.c.), LTD QTY

No component of this product is a listed Marine Pollutant (49 CFR 172,101, Appendix B).

SECTION 15: REGULATORY INFORMATION

International Chemical Inventory All components of this product are listed on or exempt from the following inventories: TSCA (United States), CEPA/DSL (Canada), AICS (Australia), IECSC (China)

SECTION 16: OTHER INFORMATION

REVISION DATE: 12/04/15

HMIS & NFPA Hazard Scale:

0=minimal, 1=slight, 2=moderate, 3=serious, 4=severe HMIS(American Coatings Association's Hazardous Material Identification System): Health = 2 Flammability = 4 Physical Hazard = 1 NFPA 704(National Fire Protection Association's Hazard Identification Ratings System): Health = 2 Flammability = 4 Instability = 1

This SDS is based on information believed to be reliable and accurate. Because of changing reporting requirements and other variables it is impossible to guarantee with complete accuracy all the information contained in this document. It is the responsibility of the user to determine proper personal protection based on actual condition of use and to comply with all federal, state, and local laws and regulations. _