

Version 1.0	Revision Date 12/01/2014	Print Date 01/20/2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	G00735 Mst Ult HI Temp Grs 48t CS
Material number	:	00000000001003241
Manufacturer or supplier's o	leta	ils
Company	:	Zep Inc.
Address	:	1310 Seaboard Industrial Blvd., NW Atlanta, GA 30318
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	gel
Colour	metallic, silver
Odour	oily

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Potential Health Effects

Carcinogenicity:

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.



Version 1.0

Revision Date 12/01/2014

Print Date 01/20/2016

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical Name	CAS-No.	Concentration [%]
Distillates (petroleum), hydrotreated light naphthenic	64742-53-6	>= 10 - < 20
graphite	7782-42-5	>= 5 - < 10
aluminium	7429-90-5	>= 1 - < 5
Stoddard solvent	8052-41-3	>= 1 - < 5
quartz (SiO2)	14808-60-7	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	:	Move out of dangerous area. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
lf inhaled	:	If unconscious place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	:	If skin irritation persists, call a physician. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	:	Flush eyes with water as a precaution. Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a specialist.
If swallowed	:	Induce vomiting immediately and call a physician. Keep respiratory tract clear. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	: High volume water jet
Specific hazards during firefighting	: Do not allow run-off from fire fighting to enter drains or water courses.
Hazardous combustion	: Carbon dioxide (CO2)



Version 1.0		Revision Date 12/01/2014	Print Date 01/20/2016
products		Carbon monoxide Smoke	
Specific extinguishing methods	:	Use extinguishing measures that are ap circumstances and the surrounding envi	
Further information	:	Collect contaminated fire extinguishing we must not be discharged into drains. Fire residues and contaminated fire extinues be disposed of in accordance with local	nguishing water must
Special protective equipment for firefighters	:	Wear self-contained breathing apparatus necessary.	s for firefighting if

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
Methods and materials for containment and cleaning up	: Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Do not breathe vapours/dust. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	 Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	: Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters



ersion 1.0	Revision	Date 12/01/2014	Print	Date 01/20/2016
Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Stoddard solvent	8052-41-3	TWA	100 ppm	ACGIH
		TWA	350 mg/m3	NIOSH REL
		С	1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,900 mg/m3	OSHA Z-1
		TWA	100 ppm 525 mg/m3	OSHA P0
Personal protective equi	pment			
Respiratory protection	: In the case approved	•	tion use a respirato	or with an
Hand protection				
Hand protection Remarks		bility for a specific roducers of the pi	workplace should rotective gloves.	be discussed

Skin and body protection	: impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: gel
Colour	: metallic, silver
Odour	: oily
Odour Threshold	: not determined
рН	: not applicable
Melting point/freezing point	: not applicable
Boiling point	: no data available
Flash point	: > 204.4 ° C Method: Cleveland open cup
Evaporation rate	: not applicable
Upper explosion limit	: not determined
Lower explosion limit	: not determined

SAFETY DATA SHEET



G00735 Mst Ult HI Temp Grs 48t CS

Version 1.0	Revision Date 12/01/2014	Print Date 01/20/2016
Vapour pressure	: < 0.01 hPa	
Density	: 0.8 g/cm3	
Solubility(ies)		
Water solubility	: negligible	
Solubility in other solvents	: not determined	
Viscosity		
Viscosity, kinematic	: $>$ 10,000 mm2/s (40 $^\circ$ C)	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable	
Chemical stability	: Stable under normal conditions.	
Possibility of hazardous reactions	: No decomposition if stored and applied as directed	1.
Conditions to avoid	: no data available	
Incompatible materials	: Oxygen	
Hazardous decomposition products	: Carbon oxides Organic Substances	

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method

Skin corrosion/irritation

Product:

Remarks: May cause skin irritation and/or dermatitis.

Serious eye damage/eye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

no data available



G00735 Mst Ult HI Ten	np Grs 48t CS	
Version 1.0	Revision Date 12/01/2014	Print Date 01/20/2016
Germ cell mutagenicity		
no data available		
Carcinogenicity		
Product:		
Carcinogenicity - Assessment	: Not classifiable as a human car	cinogen.
Reproductive toxicity		
no data available		
Distillates (petroleum), hyc graphite: aluminium: Stoddard solvent: quartz (SiO2):	Irotreated light naphthenic:	
STOT - single exposure		
no data available		
STOT - repeated exposure		
no data available		
Aspiration toxicity		
no data available		
Further information		
Product:		
Remarks: no data availa	able	
SECTION 12. ECOLOGICAL INF	ORMATION	
Ecotoxicity		

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

Other adverse effects

no data available

Product:

Regulation

40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I



Version 1.0	Revision Date 12/01/2014	Print Date 01/20/2016	
Remarks	with a Class I or Class II ODS	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A	
Additional ecological information	: An environmental hazard cann event of unprofessional handlir aquatic life with long lasting eff	ng or disposal., Harmful to	

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR Not regulated as a dangerous good

Special precautions for user

not applicable



Version 1.0

Revision Date 12/01/2014

Print Date 01/20/2016

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ	Calculated product RQ
		(lbs)	(lbs)
xylenes	1330-20-7	100	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

chemicals in this material are subject to the rements of SARA Title III, Section 302.
is material does not contain any chemical ith known CAS numbers that exceed the Minimis) reporting levels established by SARA n 313.
is product contains a chemical known to the mia to cause cancer. 100-41-4
r i: r

The components of this product are reported in the following inventories:

TSCA	On TSCA Inventory
DSL	This product contains one or several components that are not on the
	Canadian DSL nor NDSL.
AICS	Not in compliance with the inventory
NZIoC	Not in compliance with the inventory
PICCS	Not in compliance with the inventory
IECSC	Not in compliance with the inventory

Inventory Acronym and Validity Area Legend:

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TSCA (USA)

SECTION 16. OTHER INFORMATION




Version 1.0

Revision Date 12/01/2014

Print Date 01/20/2016





OSHA GHS Label Information:

Not a hazardous substance or mixture.

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.

Zep Inc. markets products under well recognized and established brand names such as Zep®, Zep Commercial®,Zep Professional®, Enforcer®, National Chemical™, Selig™, Misty®, Next Dimension™, Petro®, i-Chem®, TimeMist®, TimeWick™, MicrobeMax®, Country Vet®, Konk®, Original Bike Spirits®, Blue Coral®, Black Magic®, Rain-X®, Niagara National™, FC Forward Chemicals®,Rexodan®, Mykal™, and a number of private labeled brands.